PROVINCIAL ADMINISTRATION OF KWAZULU-NATAL DEPARTMENT OF ECONOMIC DEVELOPMENT, TOURISM AND ENVIRONMENTAL AFFAIRS



KWAZULU-NATAL PROVINCE

ECONOMIC DEVELOPMENT, TOURISM AND ENVIRONMENTAL AFFAIRS REPUBLIC OF SOUTH AFRICA

QUOTATION DOCUMENT

with JBCC Minor Works Agreement - 4th Edition

SERVICE DESCRIPTION :

SUPPLY, DELIVERY, INSTALLATION AND ESTABLISH/OPERATIONALIZE TWO CONTAINERIZED FISH PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE DISTRICT MUNICIPALITIES RESPECTIVELY IN LINE WITH SPECIFICATION SUPPLIED

	Employer:
Department	t of Economic Development, Tourism and Environmental Affairs
	KZN Department of Economic Development,Tourism PIETERMARIZBURG 3201
Contact :	
Project Leader: Telephone number: WIMS No.: Quotation Number: 2022111101 CIDB Registration Number: Central Suppliers Database No.:	Tutula Sinxolo 0332642624/0769578530
BOARD ACT, (ACT NO. 38 OF 2000 REGULATIONS PROMULGATED IN	ATION IS SUBJECT TO THE CONSTRUCTION INDUSTRY DEVELOPMENT D) AND ANY AMENDMENTS THERETO INCLUDING BOARD NOTICES, AND N TERMS OF THE ABOVE MENTIONED ACT), AND THE STANDARD CONTAINED IN ANNEXURE "C" OF THE STANDARD FOR UNIFORMITY IN

CONSTRUCTION PROCUREMENT. IT IS ALSO SUBJECTED TO KWAZULU-NATAL: PROVINCIAL TREASURY SUPPLY CHAIN MANAGEMENT POLICY (DEC 2005) AND THE OCCUPATIONAL HEALTH AND SAFETY ACT, ACT 85 OF 1993 AND THE CONSTRUCTION REGULATIONS OF FEBRUARY 2014, AS AMENDED FROM TIME TO TIME.

Project title:		OCESSING FACILITIES I	ISH/OPERATIONALIZE TWO N UGU AND UMKHANYAKUD E WITH SPECIFICATION
Project Code:			
Quotation no:	2022111101	Closing date:	21/11/2022
Closing time:	15:00	Validity period:	Calendar Days
Clause number:			
Stand Gove of Te The is specioincon incon Each Cond The is claus The c Chair The c Chair The c Chair The c C.1.1 The c C.1.2 The c T1.1 T1.2 T1.3 T1.4 Part T2.1 T2.2 T2.3 T2.4	lard for Uniformity in Engineering a rnment Gazette 42622 of DATE as nder as bound into this document. Standard Conditions of Tender m fically to this quotation. The Quotat sistency between it and the Standa item of data given below is cross-ru- itions of Tender. oint Building Contracts Committee es referred to will be prefixed with onditions of quotation are also subj is Management Policy Framework. eference to the word "Tender" in the tation:". mployer is the Head: Public Works quotation documents issued by the e 1: Quotation procedures Bid Notice and Invitation to Quote Quotation Data Annexure F - Standard Conditions Annexure to Notice and Invitation 2: Returnable documents List of returnable documents Compulsory Enterprise Questionr Authority to sign Quote. Financial Standing and other Res Equipment Schedules applicable	and Construction Works Contrac amended from time to time. (see ake several references to the ion Data shall have precedence rd Conditions of Tender. eferenced to the clause marked (JBCC's Minor Works - 4th Editi IBCC. ect to the Treasury Regulations e Standard Condition of Tender (Department of Public Works-f employer comprise: a of Tender to Quote	16A and the KwaZulu Natal Supply shall be construed to mean

í

Quotatic	n no: 2022062801					
	Part C2: Pricing Data					
	C2.1 Pricing Instructio					
		General - EPWP (If applicable)				
	C2.4 Preliminary and General - EPWP Beneficiary (If applicable)					
	Part C3: Scope of Works					
	C3.1 Scope of Works C3.2 Specifications for HIV\STI Awareness					
	C3.3 HIV/STI Complia					
	C3.4 EPWP Scope of Part C4: Site Informati					
	C4.1 Site Information					
	C4.2 EPWP Employm	ent Contract				
	Part C5: Drawings					
	C5.1 List of Drawings					
	C5.2 ANNEXURES					
	Annexure 1 Model I	Preambles for Trades 2008				
		submission locations				
		I Electrical Specifications				
		ng Protection Specifications				
		- · ·				
	Annexure 5 Joint Ve					
		and Safety Bill of Quantities				
		nal Specification - EPWP Beneficiary				
		Employment Contract				
	Annexure 6 Occupa	ational Health and Safety Specification				
C.1.4	The Employer's agent is	The Employer's agent is:				
	Name:	0				
	COLLECTION OF	Project Leader				
	Address:					
	Tel:					
	Fax: E-mail:	0				
		shall read "Communication can be in any of the official languages recognised in				
		is English, Afrikaans or Zulu but writing is preferred in English as this is generally				
C.1.6	Competitive Negotiated	Procedure				
C.2.1	submissions in a 1 GB	to are registered with CIBD or who are capable of being so prior to the evaluation of class of construction and are registered with the CID8 are eligible to submit quotations. gistered on the Central Suppliers Database.				
C.2.2	The employer will not compensate the tenderer for any costs incurred in the preparation and submission of a quotation offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.					
C.2.7 The arrangements for a Compulsory Pre-Quotation Meeting are: Location and Time: 0						
	Destau	Saturday 00 January 1000				
	Date:	Saturday, 00 January 1900				
		to sign the attendance register.				
	OR	tation briefing meeting.				

C.3.13	Quotation offers will only be accepted if:	
	(a) the Bidder has in his/her possession Tax Compliance Status (TCS) PIN to verify on line compliance	
	supplier status via SARS e-filing.	Contraction of the second state
N CANESCO DE COMPOSITO	(b) the Bidder is registered with the Construction Industry Development Board in an appropriate class of	
	works and the Bidder has submitted a CIDB certificate of registration.	
	(c) the Bidder is not in arrears for more than 3 months with municipal rates and taxes and municipal	
	services charges.	
	(d) the Bidder has completed the Compulsory Enterprise Questionnaire and there are no conflicts of interest	
	which may impact on the Bidder's ability to perform to the contract in the best interests of the employer	
	or potentially compromise the quotation process.	
	(e) the Bidder has not:	
	i) abused the Employer's Supply Chain Management System; or	
	ii) failed to perform on any previous contract and has been given a written notice to this effect.	
	(f) the Bidder or any of its Directors is not listed on the Register of Tender Defaulters in terms of the	
	Prevention and Combating of Corrupt Activities Act of 2004 (Act No. 12 of 2004) as a person prohibited	
	from doing business with the Public sector.	
	(g) The Bidder has signed and submitted the Authority to Sign.	
	(h) The Bidder has signed and submitted the Equipment Schedules, if applicable.	
	(i) The Bidder has submitted Proof of UIF registration and good standing with the Compensation	
	Commissioner.	
	(j) The Bidder has submitted the Signed Form of Offer that is part of the Form of Offer and Acceptance.	
	(k) Proof of Paid Municipal Rates and Taxes.	
	tor fails to render the service within the stipulated period in the contract, the employer shall in terms of Clause 12	

PART T1: QUOTATION PROCEDURES T1.1 Quotation Notice and Invitation to Quote

THE KZN DEPARTMENT OF ECONOMIC DEVELOPMENT, TOURISM AND ENVIRONMENTAL AFFAIRS INVITES

Project title:		Y AND PAVING OF ESIBA KHAHLAMBA LOCAL MUN	
Quotation no:	2022111101	Contract period	
Advertisement date:		Closing date:	21/11/2022
Closing time:	15:00	Validity period:	Calendar Days

It is estimated that Bidders should have a CIDB contractors grading designation of 1 GB or higher. No alternative Class of work, as refered to in Clause 25(3)(a)(i) of the CIDB Regulations, as amended, is anticipated for this project.

It is estimated that Potentially Emerging enterprises should have a CIDB contractor grading of (N/A) and satisfy the criterion stated in the Quotation Data. (<u>Only</u> applicable if Client has an Official Mentorship programme in place to assist potentially emerging enterprises)

X All Bidders should have a CIDB Class of Construction Contractor Grading Designation as indicated above. No Bidder with a PE status can be considered If "N/A" is indicated above because the Department does not have an Official Mentorship Programme in place to assist a Potentially Emerging Enterprise.

Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations:

Bidders registered on the Central Suppliers Database (CSD) are eligible to submit quotations.

X	Only those Bidders who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum Quoted for a 1 GB or higher, class of construction work, are eligible to submit quotes. Quotation values in close proximity to the limit of a Quotation value range will be dealt with in accordance with Clause 25(3)(a)(ii) and 25(7A) of the latest amended Regulations.
X	 Joint ventures are eligible to submit Quotations provided that: every member of the joint venture is registered with the CIDB; the lead partner has a contractor grading designation in the 1 GB or higher, class of construction work. the combined contractor grading designation calculated in accordance with the Construction Industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 1 GB or higher, class of construction work.
x	Quotation document must be properly received on or before the Quotation closing date and time specified on the invitation, fully completed and signed in ink (All as per Standard Conditions of Quotation).
X	Authority to sign Quote.
	Financial Standing and other Resources of Business Declaration
X	Submission of Compulsory Returnable Schedules.
X	Site Inspection Certificate.
X	Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing.
	Complete Schedule of rates is to be submitted on the day of the Quotation closing date.
	Proof of good standing with the Compensation Commissioner
	Proof of Paid Municipal Rates and Taxes.
	Proof of UIF Registration.
	Contractors Health & Safety Declaration.
	Compulsory Enterprise Questionnaire.

THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED)

NAME OF BIDDER:				
POSTAL ADDRESS:	6			
STREET ADDRESS:				
TELEPHONE NUMBER	CODE : _	NUMBER:		
CELLPHONE NUMBER:				
FACSIMILE NUMBER	CODE : _	NUMBER:		
E-MAIL ADDRESS:	-			
VAT REGISTRATION NUMBER	R: _		29 	
TAX COMPLIANCE STATUS (T SARS E - FILING.	CS) PIN TO VE	ERIFY ON LINE COMPLIANCE SUPPLIER STATUS VIA	YES or NO	
HAS A B-BBEE STATUS LEVE	L VERIFICATIO	ON CERTIFICATE BEEN SUBMITTED?	YES or NO	
IF YES, WHO WAS THE CERT	IFICATE ISSUE	ED BY?		
		[Tick App	licable Box]	
A Verification Agency Acc	credited by the S	South African Accreditation System (SANAS); OR		
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS / SERVICES / WORKS OFFERED? [If yes, enclose proof]				
This quote will be evaluated according to the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations; 2017				Preferential



 \bigcirc

()

80/20 Preference point scoring system

Price / Quality:	·	
Price and Quality:	80	
Preference:	20	
Total must equal (100%):	100	

Preference point scoring system will be based on the following points:

Preference points system:		
Preferences are offered to Bidder's who have attained the follow	ving 8-BBEE status level of contri	butor in accordance
vith the table below:		
1. B-BBEE Status Level of Contributor	Nu	mber of Points
(a) Level 1	20	Points
(b) Level 2	18	Points
(c) Level 3	14	Points
(d) Level 4	12	Points
(e) Level 5	8	Points
(f) Level 6	6	Points
(g) Level 7	4	Points
(h) Level 8	2	Points
(i) Non-compliant contributor	0	Points
Fotal of Price and Preference must not exceed 100 points	100	Points

Notes:

- 1 The successful bidder will be required to fill in and sign a written Contract Form (SBD 7) form.
- 2 Bidders should ensure that bids are delivered timeously to the correct address. If the bid is late, it will not be accepted for consideration.
- 3 The requirements in respect of the application of 80/20 preference points scoring system, as reflected in the table above. Number of points will be awarded in accordance with the B-BBEE status level of contributor
- 4 The bid box is open during official working hours.
- 5 All Bids must be submitted on the official forms (Not to be re-typed)
- 6 THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE JBCC Series 2000 Edition 4 Minor Works (August 2007) Conditions of contract AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT
- 7 (A B-BBEE status level verification certificate must be submitted in order to qualify for PREFERENCE POINTS)

COLLECTION OF QUOTATION DOCUMENTS:

Quotation documents may be collected during working hours at the following address :

KZN Economic Development,Tourism and Environmental Affairs ,270 Jabu Nflovu Street,Pietermaritzburg at the time indicated on T1.1 Bid Notice and Invitation to quote

BRIEFING MEETING

Briefing Session is complusory

QUERIES RELATED TO QUOTATION DOCUMENTS MAY BE ADDRESSED TO:

EDTEA Project Leader:	Tutula Sinxoto	Telephone no:	0332642624
Cell no:	0769578530	Fax no:	
E-mail:			

QUERIES RELATED TO TECHNICAL ISSUES MAY BE ADDRESSED TO:

EDTEA Project Leader:	Tutula Sinxoto	Telephone no:	0332642624
Cell no:	0769578530	Fax no:	0
E-mail:	tutula.sinxoto@kznedtea.gov.za		

QUERIES RELATED TO SAFETY, HEALTH AND ENVIRONMENTAL ISSUES MAY BE

ADDRESSED TO:

Safety Officer:	Telephone no:	0
Cell no:	Fax no:	0
E-mail:		

DEPOSIT / RETURN OF QUOTATION DOCUMENTS:

Telegraphic, telephonic, telex, facsimile, electronic and / or late Quotations will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the <u>Tender Data</u> <u>document</u>.

All Quotation documents must be submitted on the official forms - (not to be re-typed)

TENDER DOCUMENTS MAY BE:

POSTED TO:		DEPOSITED IN THE Quotation BOX AT:
		270 Jabu
		Ndlovu
		Street,PMB
		EDTEA
		Head
		Office
	OR	
		0
Attention:		0

T1.4. Annexure to Notice and Invitation to Quote

REGISTRATION ON THE CENTRAL SUPPLIERS DATABASE

In terms of the Public Finance Management Act (PFMA), 1999 (Act No 1 of 1999) Section 38 (1) (a) (iii) and 51 (1) (iii) and Section 76 (4) of PFMA National Treasury developed a single platform, The Central Supplier Database (CSD) for the registration of prospective suppliers including the varification functionality of key supplier information.

Prospective suppliers will be able to self - register on the CSD website: www.csd.gov.za

Once the supplier information has been varified with external data sources by National Treasury a unique supplier number and security code will be allocated and communicated to the supplier. Suppliers will be required to keep their data updated regularly and should confirm at least once a year that their data is still current and updated.

Suppliers can provide their CSD supplier number and unique security code to organs of state to view their verified CSD information.

Bidders are required to fill in clearly, legibly, in bold print and black ink their CSD supplier number in the space hereunder:

Name of Supplier

Central Supplier Database (CSD) Supplier Number:

REGISTRATION ON THE CONSTRUCTION INDUSTRY DEVELOPMENT BOARD REGISTER OF CONTRACTORS

In terms of the Construction Industry Development Board Act (CIDB) (Act No. 38 OF 2000) all contractors must be registered on the register of contractors. For registration CIDB can be contacted as detailed below:

Private Bag X14 Brooklyn Square 75

Pretoria

Helpline: 0860-103-353

Website : http://www.cidb.org.za

In the case of a Tender by a Joint Venture, certified copies of proof of Good Standing with the Compensation Commissioner in respect of each party to the Joint Venture must be attached to this page

SUPPLY, DELIVERY, INSTALLATION AND ESTABLISH/OPERATIONALIZE TWO CONTAINERIZED FISH PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE DISTRICT MUNICIPALITIES RESPECTIVELY IN LINE WITH SPECIFICATION SUPPLIED



TABLE OF CONTENTS

	THE QUOTATION	
1.	PART T1: QUOTATION PROCEDURES	Page\s
	T1.1 Bid Notice and Invitation to Quote	4
	T1.2 Quotation Data T1.3 Annexure F - Standard Conditions of Tender	4
	T1.4 Annexure to Notice and Invitation to Quote	10 1
2.	PART T2: RETURNABLE DOCUMENTS	
	T2.1 Submission of Compulsory Returnable Schedules.	2
	T2.3 Authority to sign Quote.	1
	T2.7 Site Inspection Certificate.	1
	T2.9 Preference Certificate	5
	T2.10 Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing.	1
	T2.13 Contract Form - Purchase of Goods/Works-Part 1 T2.14 Contract Form - Purchase of Goods/Works-Part 2	1
	T2.16 Bidders Disclosure Form	1 3
	T2.18 Client's Specific requirement for the Contractor's detailed OHS plan	5
	T2.20 Declaration Certificate for local production and content for designated sectors - SBD 6.2	4
	T2.22 Quality Criteria	3
	T2.23 Invitation to Bid - SBD 1	2
	THE CONTRACT	
3.	PART C1: AGREEMENT AND CONTRACT DATA	
	C1.1. Form of Offer and Acceptance	3
	C1.2. Contract Data	5
4.	PART C2: PRICING DATA	
	C2.1 Pricing Instructions	1
	C2.2 Pricing Schedule	2
	C2.3 Preliminary and General - EPWP (If applicable)	
	C2.4 Preliminary and General - EPWP Beneficiary (If applicable)	
5.	PART C3: SCOPE OF WORKS	
	C3.1 Scope of Works	2
	C3.2 Specifications for HIV/STI Awareness	3
	C3.3 HIV/STI Compliance Report	2
	C3.4 EPWP Scope of Works (If Applicable)	5
6.	PART C4: SITE INFORMATION	
	C4.1 Site Information	1
	C4.2 EPWP Employment Contract (Refer to Annexure 10)	
7.	DRAWINGS	
	C5.1 List of Drawings	2
8.	ANNEXURES	
	Annexure 1 Model Preambles for Trades 2008	49
	Annexure 2 General Electrical Specifications	
	Annexure 3 Lightning Protection Specifications Annexure 4 Map of submission locations	1
	Annexure 5 Joint Venture Agreement	
	Annexure 6 Occupational Health and Safety Specification	
	Annexure 7 Health and Safety Bill of Quantities Annexure 8 Builders Lien	
	Annexure 9 Additional Specification - EPWP Beneficiary	
	Annexure 10 EPWP Employment Contract	
	Annexure 11 Attendance Register - Infrastructure and Other projects Annexure 12 EPWP Data Collection tool for Phase 3 system	
	Annexure 12 EPWP Data Collection tool for Phase 3 system Annexure 13 Geotechnical Investigation Report (If applicable)	

IMPORTANT NOTICE TO BIDDERS

These forms are for internal and external use for the Department of Economic Development, Tourism and Environmental Affairs, Province of KwaZulu-Natal.

The Total (Including Value Added Tax) on the Pricing Schedule must be carried to the "Offer" part only of the Form of Offer and Acceptance - C1.1

"Enterprise" shall mean the legal Quoting Entity or Bidder who, on acceptance of the Offer, would become the contractor

T2.1 LIST OF RETURNABLE DOCUMENTS				
Project title:	PROCESSING FACILITIES	ALLATION AND LIZE TWO CONTAINERIZED F IN UGU AND UMKHANYAKU TIVELY IN LINE WITH SPECIF	DE DISTRICT	
Project Manager:	Tutula Sinxoto	Quotation no:	2022111101	

1. RETURNABLE SCHEDULES REQUIRED FOR QUOTATION EVALUATION PURPOSES

Quotation document name		Returnable document	
Submission of Compulsory Returnable Schedules.	Yes		
Compulsory Enterprise Questionnaire.	No	N/A	
Authority to sign Quote.	Yes		
Financial Standing and other Resources of Business Declaration	No	N/A	
Equipment Schedules applicable	No	N/A	
Preference Certificate	No	N/A	
Site Inspection Certificate.	Yes		
Contractors Health & Safety Declaration.	No	N/A	
Certificate of Independent Bid Determination - SBD 9	No	N/A	
Contract Form - Purchase of Goods/Works-Part 1	No	N/A	
Contract Form - Purchase of Goods/Works-Part 2	No	N/A	
Bidders Disclosure Form	Yes		
Declaration of Bidder's past Supply Chain Management Practices - SBD 8	No	N/A	
Capacity of Bidder	No	N/A	
Invitation to Bid - SBD 1	Yes		
	No	N/A	

2. RETURNABLE SCHEDULES REQUIRED FOR QUOTATION EVALUATION PURPOSES BUT TO BE SUPPLIED BY THE BIDDER

0

Quotation document name CIDB Registration form or application for Registration form (F006) including Registration number		Returnable document	
Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing.	Yes		
B-BBEECertificate	Yes		
Complete Schedule of rates is to be submitted on the day of the Quotation closing date.	No	N/A	
Proof of Payment of Bid Deposit	No	N/A	
Proof of Paid Municipal Rates and Taxes.	No	N/A	
Proof of UIF Registration.	No	N/A	
Proof of good standing with the Compensation Commissioner	No	N/A	
Certified CIDB Contractors Grading Designation Certificate	Yes		
Certified Proof of Registration Number on the Central Suppliers Database	Yes		
Base Line Risk Assessment	No	N/A	
Declaration Certificate for local production and content for designated sectors - SBD 6.2	No	N/A	

 $\epsilon = 2$

3. RETURNABLE SCHEDULES THAT WILL BE INCORPORATED INTO THE CONTRACT

Quotation document name	Number of	Return	able	e
adotation decument name	pages issued	docun	nent V	t T
Form of Offer and Acceptance	3 Pages	Yes	Number of Street, or	
Contract Data	5 Pages	No	-N/A-	I/A-
Pricing Schedule	2 Pages	No	N/A	//A
	Pages	No	N/A	1/A

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Quotation document name	Number of pages issued	Returnable document	
Client's Specific requirement for the Contractor's detailed OHS plan	Pages	No	N/A
Quality Criteria	Pages	No	N/A
	Pages	No	N/A

5. DOCUMENTS REQUIRED FOR THE EVALUATION OF FUNCTIONALITY

Bid document name		
0	No	N/A
0	No	N/A
Annual/Audited Financial Statement/Management Account/income and Expenditure Statements	No	N/A
#REF!	No	N/A
References provided from clients: provide 3 reference purchased orders/signed detailed reference etters/award letters from the clients detailing the actual work completed relating to construction.the letter must include company name,contactable references and the value of the contract.	No	N/A
#REFI	No	N/A
#REF!	No	N/A
#REF!	No	N/A
Tenderer's Project Management Structure and Organogram and Experience of Resources Proposed for the Project	No	N/A
Submission of a detailed organogram	No	N/A
All key project resources have more than (5) years' experience in the construction industry. All key project resources have experience in projects of a similar value and nature	No	N/A
Detailed CV. Traceable reference. Certificates of qualified professionals in their full employment to be attached.	No	N/A
Detailed CV of each team member (Category) and Traceable references to be detailed	No	N/A
All key project resources are dedicated full time for the duration of the project including proof of UIF contributions	No	N/A
Tenderer to demonstrate key/resource deployment over the various work package	No	N/A
Letter from a registered financial institution confirming intention to issue a provision of a guarantee	No	N/A
Site establishment indicating proposed layout for all prescribed facilities, hoarding, etc.	No	N/A
Resourcing strategy for the various work breakdown structures including resource deployment plan (PS)	No	N/A
Material storage, handling and distribution	No	N/A
Productivity, programming, resource investment, progress tracking, corrective action plans, etc.	No	N/A
Programme and progress reporting, including tracking of long lead procurement items	No	N/A
OHS Management, compliance and reporting	No	N/A
Site documentation control, filing and archiving	No	N/A
Queries and information required approach	No	N/A
Procurement of outsourced resources e.g. sub-contractors	No	N/A
	No	N/A

T2.2 Compulsory Enterprise Questionnaire				
Project title:			u•g	
Quotation no:	2022111101	Project Code:		

Please do a print preview before printing

The following particulars must be furnished. In the case of a joint venture, separate enterprise questionnaires in respect of each partner must be completed and submitted.

Section 1:	Name of enterprise:	
Section 2:	VAT registration number, if any:	
Section 3:	CIDB registration number, if any:	
Section 4:	CSD Number:	

Section 5: Particulars of sole proprietors and partners in partnerships

Name*	Identity number*	Personal income tax number*

* Complete only if sole proprietor or partnership and attach separate page if more than 6 partners

Section 6: Particulars of companies and close corporations

Company registration number	
Close corporation number	
Tax reference number	
Section 7: SBD4 issued by National Treas requirement	ury must be completed for each tender and be attached as a tender

The undersigned, who warrants that he/she is duly authorised to do so on behalf of the enterprise:

i) authorizes the Employer to verify the tenderers tax clearance status from the South African Revenue Services that it is in order;

 ii) confirms that neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;

iii) confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;

iv) confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; and

iv) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed	Date
Name	
Position	
Enterprise name	

T2.4 FINANO		ND OTHER RESOURCES OF BUSINESS CLARATION
Project title:	CONTAINERIZED FIS	INSTALLATION AND ESTABLISH/OPERATIONALIZE TWO TH PROCESSING FACILITIES IN UGU AND STRICT MUNICIPALITIES RESPECTIVELY IN LINE WITH PLIED
Bid no:	2022111101	Project Code:

ATTACH COMPANY PROFILE TO THIS PAGE IF ALL THE RELEVANT INFORMATION REQUESTED ON THIS FORM IS DEALT WITH IN SAID COMPANY PROFILE

(a) Based on the track record determined on the Minimum Average Annual Turnover coupled to the assessed Works Capabilities of Contracting Enterprises, the Construction Industry Development Board (CIDB) awards Grading Designations and accordingly registers it on the system. This experime that a Contractor has at the time of registration in the shapes of any symple side interpreting.

This confirms that a Contractor has, at the time of registration, in the absence of any supply side interventions, sufficient working capital to commence the Works for a single contract and render due performance.

- (b) However, it regularly occurs that a Contractor will at the same time submit Bids for a number of projects that are advertised during an overlapping period. Moreover, the Contractor may be busy with a Contract that is of the registered CIDB Grading Designation (value) or is even attending to a number of smaller valued Contracts.
- (c) It therefore becomes the prerogative of a Bidder in such instances to prove to the Department that the Enterprise has the capacity in every respect to attend to more than one (1) contract at a time.
- (d) A Bidder who wishes to be considered for this Bid Contract award, over and above other Bids that they have submitted, shall submit when requested by the DoPW the necessary proof that:
 - (i) he/she has access to additional finance (inclusive of a PERFORMANCE GUARANTEE BY A REGISTERED FINANCIAL INSTITUTION),
 - (ii) he/she has additional Human Recourses available to successfully complete this project.
 - (iii) he/she has adequate Equipment, Plant and Machinery that all of the above can, undoubtedly, be sourced for this Bid. (Please submit to the DoPW the name and contact details of the supplier if the Bidder is going to hire Equipment, Plant or Machinery, when requested.)

I, the undersigned,

(name of person authorized to sign on behalf of the Bidder)

understand that it is the responsibility of the Bidder to prove and provide when requested by the DoPW, evidence of the good Financial Standing of the Business to complete the Contract successfully.

Furthermore, it is understood that failure to provide when requested by DoPW, at least the information as stated in paragraphs (d)(i)(ii) AND (iii) above will not enable the Evaluation Team to assess the CURRENT financial standing of the Business and the failure to provide said information when requested will, therefore, invalidate the Bid.

I accept and understand that the Department of Public Works, as representative of the Provincial Administration of KwaZulu-Natal in this Bid, may act against me and the Bidder, jointly and severally, should this declaration and/or any information provided be found to be false.

Full Name of Signatory

Name of Enterprise

Capacity of Signatory

Signature of authorised representative

SECTION N

SCHEDULE VARIATIONS FROM GOODS OR SERVICES INFORMATION

Should the Bidder wish to make any departure from or modification in the Special Conditions of Contract, Specifications, Schedule list of Prices/ Quantities/ Drawings or to qualify the bid in any way, he/she shall indicate the proposals clearly hereunder or alternatively make photocopies of the original bid documentation.

SECTION	PAGE	VARIATION: CLAUSE OR ITEM

SIGNATURE OF BIDDER:

DATE:

T2.6 CON	DEC	TY, HEALTH AND ENVI DUARATION	RONMENTAL		
	4	, INSTALLATION AND TIONALIZE TWO CONTAIN	ERIZED FISH		
Project title:	PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE DISTRICT				
	MUNICIPALITIES RE SUPPLIED	SPECTIVELY IN LINE WITH	H SPECIFICATION		
Quotation no:	2022111101	Project Code:			

INTRODUCTION

In terms of Regulation 5(1)(h) of the Construction Regulations of February 2014 a Contractor may only be appointed to perform construction work if the Client is satisfied that the Contractor has the necessary competencies and resources to carry out the work safely in accordance with the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014. In line with this requirement the Contractor is required to read through this document carefully, sign it and submit it with his/her Bid.

DECLARATION

- 1. I, the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications attached to this document.
- 2. I hereby declare that my company and its employees has the necessary competency and resources to safely carry out the construction works under this contract in compliance with the Occupational Health and Safety Act, Act 85 of 1993, the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications.
- I hereby confirm that adequate provisions has been made in my Bid to cover the cost of all Safety, Health and Environmental duties and responsibilities imposed on me by the Occupational Health and Safety Act, Act 85 of 1993, the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications.
- 4. I hereby undertake that if my Bid is accepted, to provide before commencement of the Works under the contract or as required by the Conditions of the Contract, a suitable and sufficiently documented Construction Safety, Health and Environmental Management Plan in accordance with Regulation 7(1)(a) of the Construction Regulations of February 2014, which shall be subject for approval by the Client.
- 5. I confirm that I may not commence with any part of construction work under the contract until my Construction Safety Health and Environmental Management Plan has been approved in writing by the Client.
- 6. I hereby confirm that copies of the following documentation will be kept on site for viewing and inspection purposes for the duration of the construction work:
 - a) Client's Construction Safety, Health and Environmental Specification.
 - b) Approved Construction Safety, Health and Environmental Plan.
 - c) Occupational Health and Safety Act, Act 85 of 1993.
 - d) Construction Regulations of February 2014.
- 7. I agree that my failure to complete and execute this declaration to the satisfaction of the Client will mean that I am unable to comply with the requirements of the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014, and accept that my tender will be rejected.

Duly signed at	on this the day of	
Full Name of Signatory	Name of Enterprise	
	Name of Enterprise	
Capacity of Signatory	Signature of authorised represe	entative of Quoter

T2.9 PREFERENCE CERTIFICATE

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution.

BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1 GENERAL CONDITIONS

NB:

1.1

The following preference point systems are applicable to all tenders:

the 80/20 system for requirements with a Rand value of up to R 50,000 000; and

- 1.1.1 Where the financial value inclusive of VAT of one or more responsive tenders received equals or is less than R 50,000 000, the 80/20 system shall be applicable.
- 1.2 Preference points for this tender shall be awarded for:
 - 1.2.1
 Price points and
 80

 1.2.2
 Preference points
 20

 100
 100

1.3 The points for this tender are allocated as follows:

Points: 1.3.1 PRICE 80 SPECIFIC CONTRACT PARTICIPATION GOALS 1.3.2 1.3.2.1 **B-BBEE Status Level of Contributor** Level 1 20.00 (i) (ii) Level 2 18.00 (iii) Level 3 14.00 (iv) Level 4 12.00 (v) Level 5 8,00 (vi) Level 6 6,00 (vii) Level 7 4,00 (viii Level 8 2.00 (ix) Non-compliant contributor 0.00 TOTAL POINTS FOR PRICE and PREFERENCE POINTS MUST max 100 NOT EXCEED 100

Total points for Price, B-BBEE preference points must not exceed 100

- 1.4 Failure on the part of a bidder to fill in and/or to sign this form and submit a B-BBEE Construction Sector Verification Certificate from a Verification Agency accredited by the South African Accreditation System (SANAS) with the quotation, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.5 The bidder shall be a Value Adding Enterprise. A Value Adding Enterprise is defined in the BBBEE Code of good practice as an organisation that is VAT registered and whose net profit before tax summed with its total labour cost exceeds 25% of the value of its total revenue.
- 1.6 The Department reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the Department.

2 GENERAL DEFINITIONS

- 2.1 "All applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.
- 2.2 "B-BBEE" means broad-based black empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 "B-BBEE status level of contributor" means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;

2,4 "proof of B-BBEE status level of contributor" means-

a) the B-BBEE status level certificate issued by an authorised body or person;

- b) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or
- c) any other requirement prescribed in terms of the Broad-Based Black Economic Empowerment Act
- 2.5 "black designated groups" has the meaning assigned to it in the codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 2.6 "black people" has the meaning assigned to it in section 1 of the Broad-Based Black Economic Empowerment Act.
- 2.7 "Bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods, works or services, through price quotations, advertised competitive bidding process or proposals.
- 2,8 "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act 53 of 2003);
- 2.9 "co-operative" means a co-operative registered in terms of section 7 of the Co-Operatives Act, 2005 (Act No 14 of 2005)

2.10 "designated group" means

a) black designated groups;

- b) black people:
- c) women
- d) people with disabilities; or
- e) small enterprises, as defined in section 1 of the National Small Enterprise Act, 1996 (Act No 102 of 1996)
- 2,11 "designated sector" means a sector, sub-sector or industry or product designated in terms of regulation 8(1)(a)
- 2.12 "Comparative price" means the price after the factors of a non-firm price and all unconditional discounts that can be utilised have been taken into consideration.
- 2,13 "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- 2,14 "Consortium or joint venture" means an association of persons for the purpose of combining their expertise, property, capital, efforts, skills and knowledge in an activity for the execution of a contract.
- 2,15 "military veteran" has the meaning assigned to it in section 1 of the Military Veterans Act, 2011 (Act No 18 of 2011).
- 2,16 "Contract" means the agreement that results from the acceptance of a bid by an organ of state.
- 217 "National Treasury" has the meaning assigned to it in section 1 of the Public Finance Management Act, 1999 (Act No 1 of 1999)
- 2,18 "EME" means any enterprise with an annual total revenue of R10 million or less;
- 2,19 "QSE" means any enterprise with an annual total revenue between R10 million and R50 million;
- 2,20 "people with disabilities" has the meaning assigned to it in section 1 of the Employment Equity Act, 1998 (Act No 55 of 1998)
- 2.21 "Firm Price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from change, imposition or abolition of customs or excise duty and any other duty, levy or tax, which, in terms of the law or reculation, is binding on the contractor and demonstrably has an influence on "price" includes all applicable taxes less all unconditional discounts.
- 2.22
- 2.23 "Quality" shall mean totality of features and characteristics of a product or service that bears on the ability of the product or service to satisfy stated or implied needs
- 2.24 "Non-firm prices" means all prices other than "firm" prices;
- 2.25 "Person" includes reference to a juristic person.
- 2.26 "Rand value" means the total estimated value of a contract in Rand denomination that is calculated at the time of bid invitations and includes all applicable taxes and excise duties.
- 2,27 "stipulated minimum threshold" means the minimum threshold stipulated in terms of regulation 8(1)(b).
- 2.28 "Sub-contract" means the primary contractor's assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract;
- 2.29 "Total revenue" bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the Government Gazette on 9 February 2007;
- 2.30 "trust" means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
- 2.31 "trustee" means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.
- 2.32 "rural area" means-

a) a sparsely populated area in which people farm or depend on natural resources, including villages and small towns that are dispersed through the area; or

b) an area including a large settlement which depends on migratory labour and remittances and government social grants for survival, and may have a traditional land tenure system.

- 2,33 "township" means an urban living area that anytime from the late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantaged individuals post 27 April 1994
- 2,34 "treasury" has the meaning assigned to it in section 1 of the Public Finance Management Act, 1999 (Act No 1 of 1999)

2,35 "youth" has the meaning assigned to it in section 1 of the National Youth Development Agency Act, 2008 (Act No 54 of 2008)

3 EVALUATION USING A POINT SYSTEM

- 3.1 The bidder obtaining the highest number of total points will be awarded the contract.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts;.
- 3.3 Points scored must be rounded off to the nearest 2 decimal places.
 3.4 In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.

3.5 However, when quality is part of the evaluation process and two or more bids have scored equal points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for Quality.

3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

4 POINTS AWARDED FOR PRICE

4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis: $P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}}\right)$ 80/20

- Where: Ps =
 - Points allocated for price of tender under consideration

Pt = Price of tender under consideration P_{min} = Price of lowest acceptable tender

5 POINTS AWARDED FOR HISTORICALLY DISADVANTAGED INDIVIDUALS

5.1 In terms of Regulation 6 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

or

B-BBEE Status Level	Number of points (80/20 system)
of Contributor	
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Compliant	0

- 5.2 Bidders who qualify as EMEs in terms of the B-BBEE Act must submit a sworn affidavit confirming their annual total revenue of R10 million or less and level of black ownership or a B-BBEE level verification certificate to claim points as prescribed by regulation 6 and 7 of the Preferential Procurement Regulations 2017.
- 5.3 Bidders who qualify as QSEs in terms of the B-BBEE Act must submit a sworn affidavit confirming their annual total revenue of detween R10 million and R15 million and level of black ownership or a B-BBEE level varification certificate to claim points as prescribed by regulation 6 and 7 of the Preferential Procurement Regulations 2017.
- 5.4 A trust, consortium or joint venture, will qualify for points for their B-BBEE status level as a legal entity, provided that the entity submits their B-BBEE status level certificate.
- 5.5 A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid.
- 5.6 Tertiary institutions and public entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.7 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- 5.8 A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.

6 BID DECLARATION

6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following.

7 B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.3.2.1 AND 5.1 ABOVE

7.1	B-BBEE Status Level of Contribution:		=	
		[B-BBEE Status level of Contribution]		[Max of points 20]
	(Points claimed in respect of paragrap			1 3 1

and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or an Accounting Officer as contemplated in the CCA).

8 SUB-CONTRACTING

8.1	Will any portion of the contract be sub-contracted?			Yes		No			
8.1.1	lf yes, i	indicate:							
	(i)	what percen	tage of the contract	will be subcontracted	?			%	
	(ii)	the name of th	ne sub-contractor?						
	(iii)	the B-BBEE s	tatus level of the su	ub-contractor?					
	(iv)	whether the s	ub-contractor is an	EME?	Yes		No		
DEC	LARA	TION WITH	REGARD TO C	OMPANY/FIRM					
9.1	Name	of company/firr	n:						
9.2	VAT re	gistration numl	per:						
9.3	Compa	any registration	number:						
9.4	box) Part Joint	f company/firm nership/ Venture/ sortium	: (insert a X in the One person business/Sole Proprietor	applicable Close Corporation	(Company	(P) [ty) Ltd	

 \bigcirc

C

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

(

					· · · · · · · · · · · · · · · · · · ·	
-						
6	COM	PANY CLASSIFICATION				
	Mar	nufacturer Co	ontractor and/or Supplier	Professional service provider	other service providers,	
7	Total	number of years the company/firm h	as been in business?			
8	l/we, t claime	he undersigned, who is / are duly a ad, based on the B-BBE status level	uthorised to do so on be	half of the company/firr	n, certify that the points	
	qualifi	es the company/ firm for the prefere	ence(s) shown and I / we	acknowledge that:		
	(i) (ii)	The information furnished is true a The preference points claimed are paragraph 1 of this form.		General Conditions as	indicated in	
	(iii)	In the event of a contract being av contractor may be required to furr claims are correct;				
	(iv)	If the B-BBEE status level of cont the conditions of contract have no may have –				
		 (a) disqualify the person from (b) recover costs, losses or conduct; 		d or suffered as a resul	It of that person's	
		(c) cancel the contract and make less favourable a	rrangements due to such	n cancellation;	0	
		 (d) restrict the bidder or co directors who acted on a period not exceeding been applied; and 	ntractor, its shareholders a fraudulent basis, from 10 years, after the audi a	obtaining business fror	m any organ of state for	
		(e) forward the matter for o	riminal prosecution			
	WITN	ESSES:				
	1.					
	2.					
	۷.					
				SIGNATURE(S	S) OF BIDDER(S)	
		D	ate:			
		Di				
			ddress:			
			Idress:			

T2.10 TAX COMPLIANCE STATUS (TCS) PIN - TO VARIFY ON LINE COMPLIANCE SUPPLIER STATUS VIA SARS e-FILING

Project title:	CONTAINERIZED FISH	STALLATION AND ESTABLISH PROCESSING FACILITIES IN UC IES RESPECTIVELY IN LINE WI	SU AND UMKHANYAKUDE
Quotation no:	2022111101	Project Code:	

TAX CLEARANCE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations. It is a condition of this Offer of Commission that your practice remains in good standing with SARS (South African Revenue Services) in terms of its tax clearance, during the project, which is required to process your payment certificates.

In order to meet this requirement bidders are required to apply via e-filing at any SARS branch office nationally. The Tax Complance Status (TCS) requirements are also applicable to foreign bidders / individuals who wish to submit bids.

SARS will then furnish the bidder with a Tax Compliance Status (TCS) **PIN** that will be valid for a period of 1 (one) year from the date of approval.

In bids where Consortia / Joint Ventures / Sub-contractors are involved, each party must submit a separate Tax Compliance Status (TCS) PIN.

Application for Tax Compliance Status (TCS) PIN can be done via e-filing at any SARS branch office nationally or on the website www.sars.gov.za.

Tax Clearance Certificates may be printed via eFiling. In order to use this provision, taxpayers will need to register with SARS as eFilers through the website www.sars.gov.za.

IMPORTANT NOTICE

The South African Revinue Services (SARS) has phased out the issuing of paper Tax Clearance Certificates.

From 18 April 2016 SARS introduced an enhanced Tax Compliance (TCS) system.

The new system allows taxpayers to obtain a Tax Compliance Status (PIN), which can be utilised by authorised third parties to varify taxpayers compliance status online via SARS e-filing.

Bidders are required to fill in clearly, legibly, in bold print and black ink the SARS (TCS) **PIN** number and Tax Reference number in the space hereunder:

Tax Compliance Status (TCS) PIN Number	
Company / Bidding Entity Tax Reference Number	

Name of Bidder: _____

Signature of Bidder:_____

Date:_

Ę

T2.14 CONTRACT FORM - PURCHASE OF GOODS/WORKS-Part 1

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

- 1. I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to Head: Public Works (Department of Public Works: Province of KwaZulu-Natal) in accordance with the requirements and specifications stipulated in bid number 2022062801 at the price/s quoted.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax Compliance Status (TCS) PIN;
 - Pricing schedule(s);
 - Technical Specification(s);

nme Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;

- Bidders Disclosure form;
- Declaration of bidder's past SCM practices;
- Certificate of Independent Bid Determination
- Special Conditions of Contract;
- (i) JBCC Minor Works Edition 4 August 2007; and
- (i) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT):	Witnesses:
CAPACITY:	1
SIGNATURE:	
NAME OF FIRM:	2
DATE:	Date:

C1.1: FORM OF OFFER AND ACCEPTANCE

Quotation no: 2022062801

OFFER

The Employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of:

SUPPLY, DELIVERY, INSTALLATION AND ESTABLISH/OPERATIONALIZE TWO CONTAINERIZED FISH PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE DISTRICT MUNICIPALITIES RESPECTIVELY IN LINE WITH SPECIFICATION SUPPLIED

The Tenderer, identified in the Offer signature block, has examined the documents listed in the Quotation Data and Addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the Contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

Amount (in words):	
Amount in figures:	R

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document to the Tenderer before the end of the period of validity stated in the Tender Data, whereupon the Tenderer becomes the party named as the Contractor in the Conditions of Contract identified in the Contract Data.

Signature (s)			
Name (s)			
Capacity			
For the tenderer			
	(Name and address of tenderer)		
Name and signature of witness		Date	

ACCEPTANCE

Part C4

By signing this part of this Form of Offer and Acceptance, the Employer identified below, accepts the Tenderer's The terms of the contract, are contained in:

Part C1	Agreement and Contract Data, (which includes this agreement)
Part C2	Pricing data
Part C3	Scope of work.

Site information and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five (5) working days of the date of such receipt notifies the employer in writing of any reason why he/she cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

ame and address of employer)			
3	me and address of employer)	me and address of employer)	me and address of employer)

0.

Schedule of Deviations

Notes:

1. The extent of deviations from the tender documents issued by the employer before the tender closing date is limited to those permitted in terms of the conditions of tender.

2. A tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.

3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.

4. Any change or addition to the tender documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

1.	Subject:							
Detail								
2. 5	Subject:							
Detail	s:							
3. S	Subject:		 	 			 	
Detail	s:							

4. Subject: Details:

By the duly authorised representatives signing this agreement, the employer and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

		PART C2: PRICING	DATA
Project title:	CONTAINERIZED F	SH PROCESSING FACILITI	ABLISH/OPERATIONALIZE TWO ES IN UGU AND UMKHANYAKUDE I LINE WITH SPECIFICATION SUPPLIED
Quotation no:	2022111101	Project Code:	

C2.1 Pricing Instructions

l

The Bidder's prices must be provided in accordance with the scope of work i.e. the prices, rates and quantities to be included in the Pricing Schedule for the work described under several items. An item against which no price is entered will be considered to be covered by prices in the Pricing Schedule. Where any item is not relevant to this specific contract, such item is marked N/A (signifying "not applicable")

The method of measurement herein will be the only method of measurement recognized in connection with this contract.

All equipment or materials used in this contract is to be that which is specified or other approved (other approved means where approval is given by the Head: Works prior to the close of the quotation).

The Pricing Schedule is to indicate VALUE ADDED TAX payable by the Employer separately in addition to the total Quoted prices. The Quotation Offer must indicate prices inclusive of VALUE ADDED TAX.

The Bidders obligation in pricing the Quotation offer and the Employer's undertakings in checking and corrections of arithmetical errors are indicated in the Annexure A - Standard Conditions of Quotation.

The Conditions of Contract referred to in this document must be understood and read by the Contractor and will be taken to apply at all times to the work which this Contract refers. The contractor must allow whatever price or costs he may consider necessary to provide for the carrying out and due observance of the aforesaid Conditions of Contract.

	PART	C3.1: SCOPE OF WORKS
Project title:	CONTAINERIZED FIS	INSTALLATION AND ESTABLISH/OPERATIONALIZE TWO SH PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE LITIES RESPECTIVELY IN LINE WITH SPECIFICATION
Quotation no:	2022111101	Project Code:

C3.1 - SCOPE OF WORKS

1. DESCRIPTION OF THE WORKS

2. EXTENT OF THE WORKS

Container 12m X 2.4m steel container Painting Must be treated for rust, wire brushed and painted in white Sealant

3. LOCATION OF THE WORKS

ť

ł

Esibayeni walk-way in Bergville Okhahlamba , Okhahlamba Local Municipality

4. CERTIFICATION BY RECOGNIZED BODIES

Any specific institutions which may certify items for inclusion in the works and building systems, e.g. Agreement Board of South Africa.

5. SERVICES TO BE PROVIDED

Supply, Delivey and Paving of Esibayeni Walkway in Bergville at Okhahlamba Local Municipality

6. UNAUTHORISED PERSONS

State requirements for substantiation of claims in payment certificates to expedite verification and certification by Employer The contractor shall keep unauthorized persons from the works at all times. Under no circumstances may any person except guards be allowed to sleep on the building site.

7. ELECTRONIC PAYMENTS

Once a contract is awarded the contractor must complete a WIMS Registration form and a financial detail certificate available from the Department. This form must be submitted together with a cancelled cheque or a certified bank statement and a certified copy of the ID of the person who signed the financial detail certificate.

8. DAILY RECORDS

Add the requirements for daily records of resources (people and equipment employed), or site diaries in respect of work performed on the site, and where such documents are to be kept.

9. PAYMENT CERTIFICATES

State requirements for substantiation of claims in payment certificates to expedite verification and certification by Employer. Contractor's must ensure that they submit their Tax Invoice with their claim for timeous payment.

10. PERMITS

State requirements for Contractor's staff to have security \ entrance permits and the like.

11. PROOF OF COMPLIANCE WITH THE LAW

State specific documents / methods by which compliance with any legislation is to be verified, as necessary.

 \bigcirc

 \bigcirc

Project	title:	SUPPLY, DELIVERY, INSTALLATION A CONTAINERIZED FISH PROCESSING F DISTRICT MUNICIPALITIES RESPECTIV	ACILIT	IES IN UC	GU AND UM	KHANYAKUDE
Quotation		2022111101	Project Code:			
Rat	e shall n	nean inclusive of material, labour, equipment cost, and	d where a	ppropriate	for installation a	and commissioning.
NO		DESCRIPTION	UNIT	QTY	RATE	PRICE
1	Contair	ner 12m X 2.4m steel container				
	Paintin	n				
2	Must be	e treated for rust, wire brushed and painted in white				
3	Sealan Poly ru	t bber sealant on roof to prevent leaks				
4	Insulati	on Polyutherene insulation with cladding internally				
5	Ceiling					
2	40mm Ventila	White insulated ceiling panels				
6		m x 30cm ventilation ducts, two on the either side of		4		
7	Window 2 x C2	ws H large steel windows (1022mm x 950mm) with		2		
8		al Fittings ition board, earth leakage, 4 x 16amp double plug				
9	Lightin	g		2		
12	2 X 300 Floorin	om X 30cm skylights g				
10	Cemen	tations urethane flooring with floor drains (and		4		
11		X 0.15m X 0.15m grid drainage system on the front		2		
12		Grid 1 X 4m X 0.3m X 0.15m grid drainage system at the fish processing facility 0.15m away from the		1		
13	Drain (Grid 1 X 0.3m X 0.2m X 0.15m grid drainage system		1		
	perpen Aircon	dicular to the back drain and ending next to the ditioner				
14		000btu Heating and cooling air conditioner		1		
15	Doors Receiv	ing entrance in the form of a concession window		3		
16	Fittings	s ge single bowl steel undermount sinks 540 x 440 x		2		
17	Fittings	s: 1 X 2m X 0.65m X 0.9m stainless steel mounted		1		
0.00	Fitting	sing table with undershelf located before the sink at s: 1 X 2m X 0.65m X 0.9m stainless steel mounted				
18	proces	sing table located immediately before the sink and		1		
19		s: 2 X 2m X 0.65mX 0.9m stainless steel mounted on either side of the container after the sinks each		2		
20		s: 2 X Taps at the product cleaning sinks which must be operated and with hot and cold water		2		
21	1 X ha	ind washing basin with foot operated hot and cold or		1		
		water tap at the staff entrance of the fish processing ess Steel Receiving Stand/Step				
22	1 x 1m	x 50cm X 7cm Stainless Steel Receiving s Hanging Hook Racks 2 (parallel) X 1m Vertical		1		
23		s Hanging Hook Racks 2 (parallel) X The Vertical s Hanging Hook Racks at the staff entrance/exit		2		
24	Footing	gs ontractor is required to supply, deliver and install		6		
25	Subdiv	visions		2		
		ntainerized fish processing facility must have a nd maintenance manual		3		
26	Provid	e user and maintenance manuals		3		
27						
28						
29						
30						
-	-					
31						
32						
33						
34	-		1			
			+			
35	-					
36						
37						
38				1		
	-					
39						
40						
41						
42						
1997. 1997.	-					
43	-					
44						
				TO	TAL OF WORK	R
		Add: Pre	liminary	and Gener	al Costs of 0%	R
		тот	TAL OF V	VORK INC	LUDING P&G's	
					VAT (15%)	

VAT (15%) R GRAND TOTAL (Transfer to C1.1) R

.

	PART	C3.1: SCOPE OF WORKS
Project title:	CONTAINERIZED FIS	NSTALLATION AND ESTABLISH/OPERATIONALIZE TWO H PROCESSING FACILITIES IN UGU AND UMKHANYAKUDE ITIES RESPECTIVELY IN LINE WITH SPECIFICATION
Quotation no:	2022111101	Project Code:

C3.1 - SCOPE OF WORKS

1. DESCRIPTION OF THE WORKS

2. EXTENT OF THE WORKS

Container 12m X 2.4m steel container Painting Must be treated for rust, wire brushed and painted in white Sealant

3. LOCATION OF THE WORKS

Esibayeni walk-way in Bergville Okhahlamba , Okhahlamba Local Municipality

4. CERTIFICATION BY RECOGNIZED BODIES

Any specific institutions which may certify items for inclusion in the works and building systems, e.g. Agreement Board of South Africa.

5. SERVICES TO BE PROVIDED

Supply, Delivey and Paving of Esibayeni Walkway in Bergville at Okhahlamba Local Municipality

6. UNAUTHORISED PERSONS

State requirements for substantiation of claims in payment certificates to expedite verification and certification by Employer The contractor shall keep unauthorized persons from the works at all times. Under no circumstances may any person except guards be allowed to sleep on the building site.

7. ELECTRONIC PAYMENTS

Once a contract is awarded the contractor must complete a WIMS Registration form and a financial detail certificate available from the Department. This form must be submitted together with a cancelled cheque or a certified bank statement and a certified copy of the ID of the person who signed the financial detail certificate.

8. DAILY RECORDS

Add the requirements for daily records of resources (people and equipment employed), or site diaries in respect of work performed on the site, and where such documents are to be kept.

9. PAYMENT CERTIFICATES

State requirements for substantiation of claims in payment certificates to expedite verification and certification by Employer. Contractor's must ensure that they submit their Tax Invoice with their claim for timeous payment.

10. PERMITS

State requirements for Contractor's staff to have security \ entrance permits and the like.

11. PROOF OF COMPLIANCE WITH THE LAW

State specific documents / methods by which compliance with any legislation is to be verified, as necessary.

QUERIES RELATED TO QUOTATION DOCUMENTS MAY BE ADDRESSED TO:

	EDTEA Project Leader:	Tutula Sinxoto	Telephone no:	0332642624	
	Cell no:	0769578530	Fax no:		
19.20	E-mail:				

QUERIES RELATED TO TECHNICAL ISSUES MAY BE ADDRESSED TO:

EDTEA Project Leader:	Tutula Sinxoto	Telephone no:	0332642624
Cell no:	0769578530	Fax no:	0
E-mail:	tutula.sinxoto@kznedtea.gov.za	•	

QUERIES RELATED TO SAFETY, HEALTH AND ENVIRONMENTAL ISSUES MAY BE ADDRESSED TO:

Safety Officer:	Telephone no:	0
Cell no:	Fax no:	0
E-mail:		

DEPOSIT / RETURN OF QUOTATION DOCUMENTS:

Telegraphic, telephonic, telex, facsimile, electronic and / or late Quotations will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the <u>Tender Data</u> <u>document</u>.

All Quotation documents must be submitted on the official forms - (not to be re-typed)

TENDER DOCUMENTS MAY BE:

POSTED TO:		DEPOSITED IN THE Quotation BOX AT:
		270 Jabu
		Ndlovu
		Street,PMB
		EDTEA
		Head
		Office
	0.0	
	OR	
		0
Attention:		0
		ř –



KWAZULU-NATAL PROVINCE

ECONOMIC DEVELOPMENT, TOURISM AND ENVIRONMENTAL AFFAIRS REPUBLIC OF SOUTH AFRICA

LIST OF DISTRICT MUNICIPALITIES TO TENDER FOR

• Bidders are requested to indicate with a tick on the table provided below for the district that they are bidding for, failing which the service provider will be disqualified:-

No.	Office	Tick
1	UGU DISTRICT MUNICIPALITY	
2	UMKHANYAKUDE DISTRICT MUNICIPALITY	

Submission of Proposals

Where a service provider is bidding for more than one district, bidders should submit separate proposals for each office and must be clearly specified accordingly. Failure to submit separate proposals will result in disqualification for that particular district.

N.B: The Department reserves the right to award Establish/Operationalize containerized fish processing facilities to one or more districts.

SECTION G

BID OFFER

(To be completed by Bidder)

QUTATION NUMBER: UGU DISTRICT MUNICIPALITY

()

NAME OF BIDDER:	SIGNATURE	DATE:

FOR OFFICE PURPOSES ONLY		
IMPORTANT Mark appropriate block with "X"		
1. HAVE ANY ALTERATIONS BEEN MADE?	YES	NO
2. HAS AN ALTERNATIVE BID BEEN SUBMITTED?	YES	NO
3. IF APPLICABLE: DID THE BIDDER ATTEND THE OFFICIAL BRIEFING SE INSPECTION?	SSION/ C YES	OMPULSORY SITE

SECTION G

BID OFFER

(To be completed by Bidder)

QUTATION NUMBER: UMKHANYAKUDE DISTRICT MUNICIPALITY

2.

()

1. BID PRICE INCLUDING VAT: R....

AMOUNT IN WORDS:

3. TIME FOR COMPLETION/ DELIVERY:calendar months

NAME OF BIDDER:	SIGNATURE	DATE:

FOR OFFICE PURPOSES ONLY		
IMPORTANT Mark appropriate block with "X"		
2. HAVE ANY ALTERATIONS BEEN MADE?	YES	NO
3. HAS AN ALTERNATIVE BID BEEN SUBMITTED?	YES	NO
4. IF APPLICABLE: DID THE BIDDER ATTEND THE OFFICIAL BRIEFING SE INSPECTION?	SSION/ C	COMPULSORY SITE

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Supporting Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

LC = [1 - x / y] * 100

Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods	Stipulated minimum threshold
Steel container	100%
Windows	100%
Doors	100%

 Does any portion of the goods or services offered have any imported content? (*Tick applicable box*)

VEO		
YES	NO	

3..1

If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange	
US Dollar		
Pound Sterling		
Euro		
Yen		
Other		

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Procurement Authority / Name of Institution):

NB
- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thdti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
ITNESS No. 2	DATE:

	Г																7	
		SATS 1286.2011			<u>Note:</u> VAT to be excluded from all calculations				Total Imported content	(C19)				~				
					o be excl			^	npted ontent	7				contant	content	of tender		
					<u>Note:</u> VAT to calculations	×		Tender summarv	Total exempted imported content	(C18)			- 2	tR tal Imported	(C24) Total local contentR	l content % c		
								Tenc	Total tender value	(C17)			Total tender valuer (C21) Total Exempt imported content	(LZZ) 10701 Tender Value net of exempt imported contentry (723) Total		(C25) Average local content % of tender		
									Tender Qty	(C16)			Total tender valuer (C21) Total Exempt	net of exen				
\bigcirc			Doctoration - Scimmary Schodula	y Juneaule					Local content % (per item)	(C15)			(C20) Total (C21,	ar Tenaer value				
		0	Cimmo						Local value	(C14)				101 (777)				
		Annex C	aclaration				GBP	ocal content	Imported value	(C13)								
			l acal Contont D					Calculation of local content	Tender value- net of exempted imported	content (C12)								
Q			loci	FUCAL			EU		Exempted imported value	(C11)								
									Tender price - each (excl VAT)	(C10)								
						tt(s)	ame: late: Pula	tent %	List of items	(C3)			rer from Annex B					
					Tender No. Tender description:	Designated product(s) Tender Authority:	Tendering Entity name: Tender Exchange Rate:	Specified local content %	Tender item no's	(C8)			Signature of tenderer from Annex B			Date:		
					(C)							 	- /					
	1			_														

					A	nnex D							SATS 1286.2
				Imported C	ontent Declaratio	n - Suppo	rting Schee	dule to Anr	nex C				
	Tender No. Tender descripti	on:]					Note: VAT to be e	excluded from]		
	Designated Prod Tender Authorit	y:							all calculations		J		
))	Tendering Entity Tender Exchange		Pula] EU] GBP]				
	A. Exempte	ed imported co	ntent					Calculation of	f imported conte	nt			Summary
	Tender item no's	Description of im	ported content	Local supplier	Overseas Supplier	Forign currency value as per Commercial	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Exempted impor value
	(D7)	(D8	3)	(D9)	(D10)	Invoice (D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
										(D15) Total exempt in		ust correspond wit
												Ant	nex C - C 21
	B. Importe	d directly by th	e Tenderer	1	1	Forign		Calculation of	f imported conte	nt			Summary
	Tender item no's	Description of im	ported content	Unit of measure	Overseas Supplier	currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Total imported va
	(D20)	(D2	1)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)	(D30)	(D31)
		\$											
								1		(D32) To	tal imported valu	Je by tenderer	R
	C. Importe	d by a 3rd party	and supplied	d to the Ten	derer			Calculation of	f imported conte	nt			Summary
	Description o	of imported content	Unit of measure	Local supplier	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Quantity imported	Total imported va
		(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
)												
										(D45) To	tal imported valu	e by 3rd party	R
	D. Other fo	oreign currency	payments		Calculation of foreig payment		1						Summary of payments
	Туре	of payment	Local supplier making the	Overseas beneficiary	Foreign currency value paid								Local value of payments
		(D46)	payment (D47)	(D48)	(D49)	(D50)							(D51)
							1						
					and the second second state and the second state of the second sta								
]	(D52) Total of 1	foreign currency pa	ayments declare	ed by tenderer an	d/or 3rd party	R
	Signature of ter	nderer from Annex B							foreign currency pa ontent & foreign c			& (<i>D52</i>) above	

			SATS 1286.2011
	Annex E		
Local Co	ontent Declaration - Supporting	Schedule to Annex C	
ender No. ender description:		<u>Note:</u> VAT to be excluded fr	om all calculations
esignated products: ender Authority: endering Entity name:			
Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
WORKS	(E6)	(E7)	(E8)
	(E9) Total local produ	cts (Goods, Services and Works)	R
(E10) Manpower costs (Te	enderer's manpower cost)		R
(E11) Factory overheads (Re	ntal, depreciation & amortisation, utility costs, o	consumphiles etc.)	R
	1272 At		
(E12) Administration overhead	and mark-up (Marketing, insurance, finan-	cing, interest etc.)	R
		(E13) Total local content	R
		This total must correspond	with Annex C - C24
ignature of tenderer from Annex B			

SCOPE OF WORK

(

l

DESCRIPTION: Establish two containerized fish processing facilities in UMkhanyakude District Municipalities respectively in line with	
specification supplied	
A service provider is required to:	
Supply, deliver, install and establish one containerized fish	
processing facility in uMkhanyakude District Municipality in line	
with specification supplied.	
SPECIFICATIONS FOR EACH CONTAINERIZED FISH PROCESSING FACILITY	
ITEM	QUANTITY
Container	
12m X 2.4m steel container	01
Painting	
Must be treated for rust, wire brushed and painted in white	
Sealant	
Poly rubber sealant on roof to prevent leaks	
Insulation	
30mm Polyutherene insulation with cladding internally	
Ceiling	
40mm White insulated ceiling panels	
Ventilation	04
4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc.	
Windows	02
2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening	
Electrical Fittings	
Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double	

fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point	
Lighting	02
2 X 30cm X 30cm skylights	
Flooring	04
Cementations urethane flooring with floor drains (and drainage system)	
Drain Grid	
2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance	02
1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area	01
1 X 0.3m X 0.2m x 0.2m grid drainage system perpendicular to the back drain and ending next to the unprocessed product area of the chiller	01
Drains to be open type covered to allow for cleaning	01
Airconditioner	01
1 x 12000btu Heating and cooling air conditioner	
Airconditioner is to be located at the processing area	
Doors	05
Receiving entrance in the form of a concession window hatch on the right vertical half of the shorter side of the container, 70cm above the fish processing facility floor with dimensions 1.2m X 0.8m	
Concession window to be divided into two horizontally with the lower half opening into a product entrance table and upper half into a shade	
1 X door for entry and exit of staff on left vertical half of the shorter side of the container next to the receiving area, opening to the left	
1 X 900mm X 40mm X 2100mm interleading door on the full partition separating the fish processing and storage areas	
Dispatch doors right at the back of the cold storage area	
Fittings	
	02

,

1

(

2 x large single bowl steel undermount sinks 540 x 440 x 348 mm, stainless steel with associated plumbing and couplings on either side of the container after the processing section for product cleaning	01
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table with undershelf located before the sink at the receiving area side	01
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table located immediately before the sink and after the staff entry/exit area, with undershelf	02
2 X 2m X 0.45mX 0.9m stainless steel mounted tables on either side of the container after the sinks each with an undershelf	
Tables and sinks must have a 15cm high splashback	02
2 X Taps at the product cleaning sinks which must be elbow operated and with hot	
and cold water	01
1 X hand washing basin with elbow operated hot and cold or warm water tap at the staff entrance of the fish processing establishment, with associated plumbing and couplings	
Efficient drainage system to support all facilities and activities including flooring that is at an angle to direct water to drains	
Stainless Steel Receiving Stand/Step	01
1 x 1m X 50cm X 7cm Stainless Steel Receiving Stand/Step on the floor area between the concession window hatch and processing table	
Clothes Hanging Hook Racks	
2 (parallel) X 1m Vertical Clothes Hanging Hook Racks at the staff entrance/exit	02
Footings	06
The contractor is required to supply, deliver and install appropriate size of concrete footings (06 in total) 600mm deep founded on a firm compacted soil, 450mm square 25 Mpa concrete with a reinforcement cage of 12mm R-Bar at 150mm centres. The footings must all be level on the top surface with a 20mm bevel on the edges.	
Subdivisions	
The containerized fish processing facility must have a straight line process flow and divided & separated into; receiving, processing, cleaning, packing (on 6m of the container), storage and dispatch areas (on the other 6m of the container) with	
1 X full 40 mm partition between the fish processing and storage facilities	01

ſ

{

2 X 0.04m X 2.59m polycarbonate dividers from top to bottom to separate the	02
dirty and clean areas; i.e. between each of the two sinks and weighing & packaging	
areas. The storage area is to comprise of cold storage facilities as follows; blast	
freezer and holding freezer on one side and a chiller separated into the	
unprocessed and processed products sections respectively on the other side	
Marine Cold Storage Facilities	
Marine Cold Storage Facilities	
Freezer	
Efficient, reliable freezer that ensures a continuous process whereby the	
temperature of the product is lowered through the zone of maximum	
crystallization between −1 °C and −5 °C, at a rate of at least 6 mm of product	
thickness per hour, and that is only completed when the temperature of the entire	
product, after thermal stabilization, has reached -18 °C or lower	
Freezer must have capacity to hold at-least 1200kg of marine product/fish	
Chiller	
Chiller must store fish and marine products at temperatures not lower than -1 $^{\circ}$ C	
and not higher than 4 °C, must have sufficient refrigeration capacity to maintain	
the desired storage temperature, and that also has sufficient refrigeration capacity	
to ensure that products placed in it are cooled to that temperature	
Chiller must be efficient and reliable with capacity to hold 1000 kg of product	
divided into 350kg for unprocessed marine product/fish and 650kg for processed	
marine product/fish	
Geyser	
Install and operationalize a 15 liter geyser and associated connections and	
plumbing having supplied and delivered all required material	
User and maintenance manual	03
Provide user and maintenance manuals	
N.B The fish processing facility must comply with the following statutory	
requirements:	
Occupational Health and Safety Act (85 of 1993)	
National Regulator for Compulsory Specifications (NRCS) regulations	
and requirements including but not limited to VC8017 – Compulsory	
Specifications for Frozen Fish and Frozen Fish Products	
 SANS including but not limited to SANS 585:2018 	
Regulation 638	R R R R R R R R R R R R R R R R R R R

,

.

ĺ

1

•	НАССР	
•	NEMA	
•	MLRA	
•	Any applicable Provincial or Municipal By-law or Regulation	
в.	The service provider must furthermore submit the following:	
•	Estimated facility throughput times (include work flow diagram/s from	
	receiving to processing to packaging-chilling, freezing, etc. to dispatch)	
•	Maximum quantities of product that can be stored at any given time	
•	All utility (water and electricity) connection specifications	
•	Estimated electricity and water usage of the facility when operating	
•	The number of operators required to operate the facility	
•	A detailed description of the health, safety, environment and other	
	regulatory requirements relating to the facilities and working tools, also	
	to ensure certification.	
•	Maintenance plan	
•	The guarantee/warranty terms and period for all the facilities.	
rusi	taceans and finfish	
/late	erial supplied to be of good quality, SABS approved	
lse	polycop and not copper	
-	gistered plumber and electrician must undertake the water, sewerage and tricity connections/deliverables	
Cert	ificates of compliance to be submitted	
	conversion resistant metanial that is incremenable and has a support surface	
Jse	corrosion-resistant material that is impermeable and has a smooth surface	
	free from pits, crevices and scale), that is nontoxic, that is unaffected by	
i.e.		
i.e. seav	free from pits, crevices and scale), that is nontoxic, that is unaffected by	
i.e. eav o co	free from pits, crevices and scale), that is nontoxic, that is unaffected by vater, ice, fish slime and any other corrosive substance with which it is likely	
i.e. seav to co clear	free from pits, crevices and scale), that is nontoxic, that is unaffected by vater, ice, fish slime and any other corrosive substance with which it is likely ome into contact, and that is capable of withstanding exposure to repeated	
(i.e. seav to co clear NB:	free from pits, crevices and scale), that is nontoxic, that is unaffected by vater, ice, fish slime and any other corrosive substance with which it is likely ome into contact, and that is capable of withstanding exposure to repeated ning, including the use of detergents	
i.e. eav o co lea NB: NB:	free from pits, crevices and scale), that is nontoxic, that is unaffected by vater, ice, fish slime and any other corrosive substance with which it is likely ome into contact, and that is capable of withstanding exposure to repeated ning, including the use of detergents CIDB GRADING 2GB	

THE FISH PROCESSING FACILITY EARMARKED FOR MTUBATUBA

.

(

l

Location of fish processing facilities	
Location 2 uMkhanyakude District Municipality	
Within uMtubatuba Local Municipality at Mkhanyakude District Municipality.	
Mtubatuba, Dukuduku 18 km from Mtubatuba on the St. Lucia tar road, turn	
right at D2462.	
GPS Co-ordinates -282323.7S; 322019.1E	
For enquiries please contact	
TOTAL PRICE	(
VAT (only include if VAT registered)	
SUB-TOTAL PRICE	

. .

í

ł

Name of Company			
Name of			
Representative		Designation	
Authorized Signature			
Date			
Validity period:			
VAT Vendor Number	(if applicable)		
Banking details same?	Yes No(please	indicate with a tick)	



SCOPE OF WORK

(

l

DESCRIPTION: Establish two containerized fish processing facilities in UGU District Municipalities respectively in line with specification supplied, and connect & operationalization water, sewerage and electricity to main transmission in UGU.	
A service provider is required to:	· · ·
 Supply, deliver, install and establish/operationalize one containerized fish processing facility in UGU District Municipality in line with specification supplied. 	
 Connect and operationalize water, sewerage electricity from the main transmission to the fish processing facility, having supplied and delivered all required material for same at UGu 	
 I Install a switch over system from the municipal electricity to the generator at UGu 	
SPECIFICATIONS FOR EACH CONTAINERIZED FISH PROCESSING FACILITY	······
ITEM	QUANTITY
Container	
12m X 2.4m steel container	01
Painting	
Must be treated for rust, wire brushed and painted in white	
Sealant	
Poly rubber sealant on roof to prevent leaks	
Insulation	
30mm Polyutherene insulation with cladding internally	
Ceiling	
40mm White insulated ceiling panels	
Ventilation	04
4×24.5 cm x 15.4 cm ventilation ducts, two on the either side of the front and the	
back of the fish processing facilities for odour control, prevent condensation, mould, etc.	
Windows	02
2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening	

Electrical Fittings	
Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point	
Lighting	02
2 X 30cm X 30cm skylights	
Flooring	04
Cementations urethane flooring with floor drains (and drainage system)	
Drain Grid	
2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance	02
1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area	01
1 X 0.3m X 0.2m x 0.2m grid drainage system perpendicular to the back drain and ending next to the unprocessed product area of the chiller	01
Drains to be open type covered to allow for cleaning	01
Airconditioner	01
1 x 12000btu Heating and cooling air conditioner	
Airconditioner is to be located at the processing area	
Doors	05
Receiving entrance in the form of a concession window hatch on the right vertical half of the shorter side of the container, 70cm above the fish processing facility floor with dimensions 1.2m X 0.8m	
Concession window to be divided into two horizontally with the lower half opening into a product entrance table and upper half into a shade	
1 X door for entry and exit of staff on left vertical half of the shorter side of the container next to the receiving area, opening to the left	
1 X 900mm X 40mm X 2100mm interleading door on the full partition separating the fish processing and storage areas	
Dispatch doors right at the back of the cold storage area	

ţ

Fittings	
2 x large single bowl steel undermount sinks 540 x 440 x 348 mm, stainless steel with associated plumbing and couplings on either side of the container after the processing section for product cleaning	02
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table with undershelf located before the sink at the receiving area side	01
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table located immediately before the sink and after the staff entry/exit area, with undershelf	01
2 X 2m X 0.45mX 0.9m stainless steel mounted tables on either side of the container after the sinks each with an undershelf	02
Tables and sinks must have a 15cm high splashback	
2 X Taps at the product cleaning sinks which must be elbow operated and with hot and cold water	02
1 X hand washing basin with elbow operated hot and cold or warm water tap at the staff entrance of the fish processing establishment, with associated plumbing and couplings	01
Efficient drainage system to support all facilities and activities including flooring that is at an angle to direct water to drains	
Stainless Steel Receiving Stand/Step	01
1 x 1m X 50cm X 7cm Stainless Steel Receiving Stand/Step on the floor area between the concession window hatch and processing table	
Clothes Hanging Hook Racks 2 (parallel) X 1m Vertical Clothes Hanging Hook Racks at the staff entrance/exit	02
Footings	06
The contractor is required to supply, deliver and install appropriate size of concrete footings (06 in total) 600mm deep founded on a firm compacted soil, 450mm square 25 Mpa concrete with a reinforcement cage of 12mm R-Bar at 150mm centres. The footings must all be level on the top surface with a 20mm bevel on the edges.	
Subdivisions	
The containerized fish processing facility must have a straight line process flow and divided & separated into; receiving, processing, cleaning, packing (on 6m of the container), storage and dispatch areas (on the other 6m of the container) with	
	01

ł

1 X full 40 mm partition between the fish processing and storage facilities	
2 X 0.04m X 2.59m polycarbonate dividers from top to bottom to separate the	02
dirty and clean areas; i.e. between each of the two sinks and weighing & packaging	
areas. The storage area is to comprise of cold storage facilities as follows; blast	
freezer and holding freezer on one side and a chiller separated into the	
unprocessed and processed products sections respectively on the other side	
Marine Cold Storage Facilities	
Freezer	
Efficient, reliable freezer that ensures a continuous process whereby the	
temperature of the product is lowered through the zone of maximum	
crystallization between -1 °C and -5 °C, at a rate of at least 6 mm of product	
thickness per hour, and that is only completed when the temperature of the entire	
product, after thermal stabilization, has reached –18 °C or lower	
Freezer must have capacity to hold at-least 1200kg of marine product/fish	
Chiller	
Chiller must store fish and marine products at temperatures not lower than -1 $^{\circ}$ C	
and not higher than 4 °C, must have sufficient refrigeration capacity to maintain	
the desired storage temperature, and that also has sufficient refrigeration capacity	
to ensure that products placed in it are cooled to that temperature	
Chiller must be efficient and reliable with capacity to hold 1000 kg of product	
divided into 350kg for unprocessed marine product/fish and 650kg for processed	
marine product/fish	4
Geyser	
Install and operationalize a 15 liter geyser and associated connections and	
plumbing having supplied and delivered all required material	
User and maintenance manual	03
Provide user and maintenance manuals	
N.B The fish processing facility must comply with the following statutory	
requirements:	
Occupational Health and Safety Act (85 of 1993)	
National Regulator for Compulsory Specifications (NRCS) regulations	
and requirements including but not limited to VC8017 – Compulsory	
Specifications for Frozen Fish and Frozen Fish Products	
 SANS including but not limited to SANS 585:2018 	

ţ

{

Regulation 638

- HACCP
- NEMA
- MLRA
- Any applicable Provincial or Municipal By-law or Regulation

NB. The service provider must furthermore submit the following:

- Estimated facility throughput times (include work flow diagram/s from receiving to processing to packaging-chilling, freezing, etc. to dispatch)
- Maximum quantities of product that can be stored at any given time
- All utility (water and electricity) connection specifications
- Estimated electricity and water usage of the facility when operating
- The number of operators required to operate the facility
- A detailed description of the health, safety, environment and other regulatory requirements relating to the facilities and working tools, also to ensure certification.
- Maintenance plan
- The guarantee/warranty terms and period for all the facilities.

N.B Various species will be stored in these facilities i.e. invertebrates, crustaceans and finfish

Material supplied to be of good quality, SABS approved

Use polycop and not copper

A registered plumber and electrician must undertake the water, sewerage and electricity connections/deliverables

Certificates of compliance to be submitted

Use corrosion-resistant material that is impermeable and has a smooth surface (i.e. free from pits, crevices and scale), that is nontoxic, that is unaffected by seawater, ice, fish slime and any other corrosive substance with which it is likely to come into contact, and that is capable of withstanding exposure to repeated cleaning, including the use of detergents

NB: CIDB GRADING 2GB

NB: THE APPOINTED SERVICE PROVDER IS ADVISED TO SUBCONTRACT A LOCAL COMPANY OR LOCAL COMPANIES REGISTERED ON THE CSD TO SUPPLY, DELIVER AND INSTALL THE CONTAINER FOOTINGS AS WELL AS SUPPLY, DELIVER AND

INSTALL THE ELECTRICITY, WATER AND SEWERAGE CONNECTIONS FOR THE FISH	
PROCESSING FACILITY EARMARKED FOR UMZUMBE	
Location of fish processing facilities:	
Location 1 UGU District Municipality	
Within Esayidi TVET College site/yard in uMzumbe Local Municipality	
GPS Co-ordinates: 30°30'12.59" S & 30°35'43.66"	
For enquiries please contact	
TOTAL PRICE	
VAT (only include if VAT registered)	
SUB-TOTAL PRICE	

, .

(

ļ

.

Name of Company
Name of
RepresentativeDesignation
Authorized Signature
Date
Validity period:
VAT Vendor Number(if applicable)
Banking details same? Yes No(please indicate with a tick)

COMPANY STAMP

INSTRUCTIONS TO POTENTIAL SERVICE PROVIDERS

1. Please quote as per specification attached.

2. The bidder must be registered with National Treasury's Central Suppliers Database. (Proof to be furnished herewith)

3. The bidder's quotation should clearly indicate the validity period.

4. Quotations must be fully completed in all respects.

5. If you are a VAT vendor, please indicate your VAT number.

6. Please confirm that your banking details are still the same. If these have changed, please contact the Department for a new Bas Entity Registration form.

7. The attached SBD forms must be completed and returned. Failure to submit may invalidate your quotation.

8. The attached ownership demographic schedule MUST be completed.

9. Bidders/Service providers are required to submit together with their quotations a certified copy of their B-BBEE Status Level Verification.

10. Quotations received after the closing date and time will not be accepted.

QUOTATION NUMBER:

DESCRIPTION: Establish two containerized fish processing facilities in UGU and UMkhanyakude District Municipalities respectively in line with specification supplied, and connect & operationalization water, sewerage and electricity to main transmission in UGU only.	
 A service provider is required to: Supply, deliver, install and establish/operationalize one containerized fish processing facility in UGU District Municipality in line with specification supplied. Connect and operationalize water, sewerage electricity from the main transmission to the fish processing facility, having supplied and delivered all required material for same at UGu I Install a switch over system from the municipal electricity to the generator at UGu Supply, deliver, install and establish one containerized fish processing facility in uMkhanyakude District Municipality in line with specification supplied. 	
SPECIFICATIONS FOR EACH CONTAINERIZED FISH PROCESSING FACILITY	
	QUANTITY
Container	02

Must be treated for rust, wire brushed and painted in white Sealant Poly rubber sealant on roof to prevent leaks Insulation 30mm Polyutherene insulation with cladding internally Ceiling 40mm White insulated ceiling panels 04 2 × 24.5cm × 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 × C2H large steel windows (1022mm × 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 01 02 2 × 30cm X 30cm skylights 02 Flooring 02 02 02 02 02 2 x 30cm X 30cm skylights 04 04 04 04 04 Ighting 02 02 02 02 02 02 02 02 02 03 04 04 04 04 04 04 04 04 04 04 04 04 05 05 05 05 05 05 05 05 05 05 05 05 05 05 05 05 05 05 <td< th=""><th></th><th></th></td<>		
Sealant Poly rubber sealant on roof to prevent leaks Insulation 30mm Polyutherene insulation with cladding internally Ceiling 40mm White insulated ceiling panels Ventilation 04 4x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 02 2 X 30cm X 30cm skylights 04 Flooring 04 Cementations urethane flooring with floor drains (and drainage system) 04 Drain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 01 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	Painting	
Poly rubber sealant on roof to prevent leaks Insulation 30mm Polyutherene insulation with cladding internally Celling 40mm White insulated celling panels 04 4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 04 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point 02 Lighting 02 2 x 30cm X 30cm skylights 04 Flooring 04 04 04 2 x 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 02 02 1 X 4m X 0.3m X 0.2m grid drainage system on the fool storage area 01 01	Must be treated for rust, wire brushed and painted in white	
Insulation 30mm Polyutherene insulation with cladding internally Ceiling 40mm White insulated ceiling panels Ventilation 04 4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area] 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 02 2 X 30cm X 30cm skylights 04 Cementations urethane flooring with floor drains (and drainage system) 04 Certain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 01 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	Sealant	· · · · · · · · · · · · · · · · · · ·
30mm Polyutherene insulation with cladding internally Ceiling 40mm White insulated ceiling panels Ventilation 44 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. Windows 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening Electrical Fittings Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area] 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 2 x 30cm X 30cm skylights Flooring Cearentations urethane flooring with floor drains (and drainage system) Drain Grid 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 	Poly rubber sealant on roof to prevent leaks	
Ceiling 40mm White insulated ceiling panels 04 4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 04 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 02 2 X 30cm X 30cm skylights 04 Flooring 04 Cementations urethane flooring with floor drains (and drainage system) 04 Drain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 02 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	Insulation	
40mm White insulated ceiling panels 04 Ventilation 04 4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double 02 Ilighting 02 2 X 30cm X 30cm skylights 02 Flooring 04 Cementations urethane flooring with floor drains (and drainage system) 04 Drain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	30mm Polyutherene insulation with cladding internally	
Ventilation044 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc.02Windows022 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening02Electrical Fittings02Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point022 X 30cm X 30cm skylights02Flooring04Cementations urethane flooring with floor drains (and drainage system)04Drain Grid 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.15m away from the product and staff entrance011 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Ceiling	
4 x 24.5cm x 15.4cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 02 2 X 30cm X 30cm skylights 04 Cementations urethane flooring with floor drains (and drainage system) 04 Drain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 01 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	40mm White insulated ceiling panels	
back of the fish processing facilities for odour control, prevent condensation, mould, etc. 02 Windows 02 2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening 02 Electrical Fittings 02 Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point 02 Lighting 02 2 X 30cm X 30cm skylights 04 Flooring 04 Cementations urethane flooring with floor drains (and drainage system) 02 Drain Grid 02 1 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.15m away from the product and staff entrance 01 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	Ventilation	04
2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening Image: Constraint of the strong steel burglar guards with window screening Electrical Fittings Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point Lighting 02 2 X 30cm X 30cm skylights 02 Flooring 04 Cementations urethane flooring with floor drains (and drainage system) 02 Drain Grid 02 2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance 02 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area 01	4×24.5 cm x 15.4 cm ventilation ducts, two on the either side of the front and the back of the fish processing facilities for odour control, prevent condensation, mould, etc.	
with window screening Image: Constraint of the second storage is a star of the second storage is a storage is storage i	Windows	02
Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point02Lighting022 X 30cm X 30cm skylights04Flooring04Cementations urethane flooring with floor drains (and drainage system)02Drain Grid022 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	2 x C2H large steel windows (1022mm x 950mm) with strong steel burglar guards with window screening	
processing area and two in the cold storage & dispatch area) 3 x doublefluorescent lights (light switches to be separate), 1 X dedicated air-conditionerpointLighting022 X 30cm X 30cm skylights04Flooring04Cementations urethane flooring with floor drains (and drainage system)02Drain Grid022 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Electrical Fittings	
2 X 30cm X 30cm skylights04FlooringCementations urethane flooring with floor drains (and drainage system)Drain Grid022 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Distribution board, earth leakage, 4 x 16amp double plug points, (two in the processing area and two in the cold storage & dispatch area) 3 x double fluorescent lights (light switches to be separate), 1 X dedicated air-conditioner point	
Flooring04Cementations urethane flooring with floor drains (and drainage system)04Drain Grid2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Lighting	02
Cementations urethane flooring with floor drains (and drainage system)Drain Grid2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	2 X 30cm X 30cm skylights	
Drain Grid022 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Flooring	04
2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance021 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area01	Cementations urethane flooring with floor drains (and drainage system)	
facility 0.5m away from the product and staff entrance 1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing 01 facility 0.15m away from the shorter side of the cold storage area	Drain Grid	
facility 0.15m away from the shorter side of the cold storage area	2 X 4m X 0.5m X 0.2m grid drainage system on the front of the fish processing facility 0.5m away from the product and staff entrance	02
1 X 0.3m X 0.2m x 0.2m grid drainage system perpendicular to the back drain and	1 X 4m X 0.3m X 0.2m grid drainage system at the back of the fish processing facility 0.15m away from the shorter side of the cold storage area	01
	1 X 0.3m X 0.2m x 0.2m grid drainage system perpendicular to the back drain and	

ţ

ending next to the unprocessed product area of the chiller	01
Drains to be open type covered to allow for cleaning	
Airconditioner	01
1 x 12000btu Heating and cooling air conditioner	
Airconditioner is to be located at the processing area	
Doors	05
Receiving entrance in the form of a concession window hatch on the right vertical half of the shorter side of the container, 70cm above the fish processing facility floor with dimensions 1.2m X 0.8m	
Concession window to be divided into two horizontally with the lower half opening into a product entrance table and upper half into a shade	
1 X door for entry and exit of staff on left vertical half of the shorter side of the container next to the receiving area, opening to the left	
1 X 900mm X 40mm X 2100mm interleading door on the full partition separating the fish processing and storage areas	
Dispatch doors right at the back of the cold storage area	
Fittings	
2 x large single bowl steel undermount sinks 540 x 440 x 348 mm, stainless steel with associated plumbing and couplings on either side of the container after the processing section for product cleaning	02
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table with undershelf located before the sink at the receiving area side	01
1 X 2m X 0.45m X 0.9m stainless steel mounted processing table located immediately before the sink and after the staff entry/exit area, with undershelf	01
2 X 2m X 0.45mX 0.9m stainless steel mounted tables on either side of the container after the sinks each with an undershelf	02
Tables and sinks must have a 15cm high splashback	
2 X Taps at the product cleaning sinks which must be elbow operated and with hot	
and cold water	02
1 X hand washing basin with elbow operated hot and cold or warm water tap at the staff entrance of the fish processing establishment, with associated plumbing	

ł

and couplings	01
Efficient drainage system to support all facilities and activities including flooring	
that is at an angle to direct water to drains	
Stainless Steel Receiving Stand/Step	01
1 x 1m X 50cm X 7cm Stainless Steel Receiving Stand/Step on the floor area	
between the concession window hatch and processing table	
Clothes Hanging Hook Racks	
2 (parallel) X 1m Vertical Clothes Hanging Hook Racks at the staff entrance/exit	02
Footings	06
The contractor is required to supply, deliver and install appropriate size of	
concrete footings (06 in total) 600mm deep founded on a firm compacted soil,	
450mm square 25 Mpa concrete with a reinforcement cage of 12mm R-Bar at	
150mm centres. The footings must all be level on the top surface with a 20mm	
bevel on the edges.	
Subdivisions	
The containerized fish processing facility must have a straight line process flow	
and divided & separated into; receiving, processing, cleaning, packing (on 6m of	
the container), storage and dispatch areas (on the other 6m of the container) with	
1 X full 40 mm partition between the fish processing and storage facilities	01
2 X 0.04m X 2.59m polycarbonate dividers from top to bottom to separate the	
dirty and clean areas; i.e. between each of the two sinks and weighing & packaging	02
areas. The storage area is to comprise of cold storage facilities as follows; blast	
freezer and holding freezer on one side and a chiller separated into the	
unprocessed and processed products sections respectively on the other side	
Marine Cold Storage Facilities	
Freezer	
Efficient, reliable freezer that ensures a continuous process whereby the	
temperature of the product is lowered through the zone of maximum	
crystallization between –1 °C and –5 °C, at a rate of at least 6 mm of product	
thickness per hour, and that is only completed when the temperature of the entire	
product, after thermal stabilization, has reached -18 °C or lower	
Freezer must have capacity to hold at-least 1200kg of marine product/fish	

t

Chiller	
Chiller must store fish and marine products at temperatures not lower than -1 °C and not higher than 4 °C, must have sufficient refrigeration capacity to maintain the desired storage temperature, and that also has sufficient refrigeration capacity to ensure that products placed in it are cooled to that temperature	
Chiller must be efficient and reliable with capacity to hold 1000 kg of product divided into 350kg for unprocessed marine product/fish and 650kg for processed marine product/fish	
Geyser	
Install and operationalize a 15 liter geyser and associated connections and plumbing having supplied and delivered all required material	
User and maintenance manual	03
Provide user and maintenance manuals	
N.B The fish processing facility must comply with the following statutory	
requirements:	
Occupational Health and Safety Act (85 of 1993)	
National Regulator for Compulsory Specifications (NRCS) regulations	
and requirements including but not limited to VC8017 – Compulsory	
Specifications for Frozen Fish and Frozen Fish Products	
SANS including but not limited to SANS 585:2018	
Regulation 638	
• HACCP	
NEMA	
MLRA	
Any applicable Provincial or Municipal By-law or Regulation	
NB. The service provider must furthermore submit the following:	
Estimated facility throughput times (include work flow diagram/s from	
receiving to processing to packaging-chilling, freezing, etc. to dispatch)	
Maximum quantities of product that can be stored at any given time	
All utility (water and electricity) connection specifications	
• Estimated electricity and water usage of the facility when operating	
The number of operators required to operate the facility	
A detailed description of the health, safety, environment and other	

i

regulatory requirements relating to the facilities and working tools, also	
to ensure certification.	
Maintenance plan	
• The guarantee/warranty terms and period for all the facilities.	
N.B Various species will be stored in these facilities i.e. invertebrates,	
crustaceans and finfish	
Material supplied to be of good quality, SABS approved	
Use polycop and not copper	
A registered plumber and electrician must undertake the water, sewerage and	
electricity connections/deliverables	
Certificates of compliance to be submitted	
Use corrosion-resistant material that is impermeable and has a smooth surface	
-	
(i.e. free from pits, crevices and scale), that is nontoxic, that is unaffected by	
seawater, ice, fish slime and any other corrosive substance with which it is likely	
to come into contact, and that is capable of withstanding exposure to repeated	
cleaning, including the use of detergents	
NB: CIDB GRADING 2GB	· ·
NB: THE APPOINTED SERVICE PROVDER MUST SUBCONTRACT A LOCAL	
COMPANY OR LOCAL COMPANIES REGISTERED ON THE CSD TO SUPPLY, DELIVER	
AND INSTALL THE CONTAINER FOOTINGS AS WELL AS SUPPLY, DELIVER AND	
INSTALL THE ELECTRICITY, WATER AND SEWERAGE CONNECTIONS FOR THE FISH	
PROCESSING FACILITY EARMARKED FOR UMZUMBE	
NB: THE APPOINTED SERVICE PROVIDER MUST SUBCONTRACT A LOCAL	
COMPANY REGISTERED ON THE CSD TO INSTALL THE CONTAINER FOOTINGS FOR	
THE FISH PROCESSING FACILITY EARMARKED FOR MTUBATUBA	
Location of fish processing facilities:	
Location of hish processing facilities:	
Location 1 UGU District Municipality	
Within Esayidi TVET College site/yard in uMzumbe Local Municipality	
GPS Co-ordinates: 30°30'12.59" S & 30°35'43.66"	
GPS CO-ordinates: 30 30 12.59 5 & 30 35 43.66"	

Location 2 uMkhanyakude District Municipality	ļ 	
Within uMtubatuba Local Municipality at Mkhanyakude District Municipality.	1	
Mtubatuba, Dukuduku 18 km from Mtubatuba on the St. Lucia tar road, turn right at D2462.	}	
GPS Co-ordinates -282323.7S; 322019.1E		
For enquiries please contact		
TOTAL PRICE		
VAT (only include if VAT registered)		
SUB-TOTAL PRICE		

۰,

Í

ŧ,

Name of Company
Name of
RepresentativeDesignation
Authorized Signature
Date
Validity period:
VAT Vendor Number(if applicable)
Banking details same? Yes No

COMPANY STAMP